Date Received: 08/21/2023 Date Completed: 09/01/2023



# **CERTIFICATE OF ANALYSIS**

#### **Summary of Results**

Analysis Type	SOP	Date Tested	<u>Status</u>
Cannabinoids	EA-SOP-POTENCY	08/23/2023	Complete
Heavy Metals	EA-SOP-HM	08/30/2023	Pass
Microbials	EA-SOP-ARIA	08/31/2023	Pass
Mycotoxins	EA-SOP-MYCO	09/01/2023	Pass
Residual Solvents	EA-SOP-RES	09/01/2023	Pass
Pesticides	EA-SOP-PEST	09/01/2023	Pass



Unit Size (g): 9.9

### POTENCY CANNABINOID PROFILE

Total THC THCA * 0.877 + D9-THC		Total CBD CBDA * 0.877 + CBD			
ND	16.11 mg/treat				
<u>Analyte</u>	<u>Result (mg/g)</u>	<u>mg/unit</u>	<u>w/w%</u>	LOQ (ppm)	LOD (ppm)
CANNABIDIVARIN (CBDV)	<loq< td=""><td><loq< td=""><td><loq< td=""><td>100</td><td>30</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>100</td><td>30</td></loq<></td></loq<>	<loq< td=""><td>100</td><td>30</td></loq<>	100	30
CANNABICHROMENE (CBC)	ND	ND	ND	100	30
CANNABIGEROL (CBG)	<loq< td=""><td><loq< td=""><td><loq< td=""><td>100</td><td>30</td></loq<></td></loq<></td></loq<>	<loq< td=""><td><loq< td=""><td>100</td><td>30</td></loq<></td></loq<>	<loq< td=""><td>100</td><td>30</td></loq<>	100	30
CANNABINOL (CBN)	ND	ND	ND	100	30
CANNABIDIOL (CBD)	1.63	16.11	0.16	100	30
CANNABIDIOLIC ACID (CBDA)	ND	ND	ND	100	30
Δ9-TETRAHYDROCANNABINOLIC ACID (THCA)	ND	ND	ND	100	30
Δ9-TETRAHYDROCANNABINOL (D9-THC)	ND	ND	ND	100	30
Δ8-TETRAHYDROCANNABINOL (D8-THC)	ND	ND	ND	100	30

NOTES: One treat = 9.9g.

ND = NOT DETECTED; LOD = LIMIT OF DETECTION; LOQ = LIMIT OF QUANTIFICATION

The cannabinoid potency reported above was analyzed via High Performance Liquid Chromatography (HPLC) using Variable Wavelength Detection (VWD).



Noel Samsum Laboratory Director 1-Sep-2023

Date Received: 08/21/2023 Date Completed: 09/01/2023



## **CERTIFICATE OF ANALYSIS**

#### **Heavy Metal Analysis**

Analyte	<u>Result (ppm)</u>	LOQ (ppm)	LOD (ppm)	<u>Limit (ppm)</u>	Pass/Fail
Arsenic	0.031	0.010	0.005	1.5	Pass
Cadmium	<loq< th=""><th>0.010</th><th>0.005</th><th>0.5</th><th>Pass</th></loq<>	0.010	0.005	0.5	Pass
Lead	0.019	0.010	0.005	0.5	Pass
Mercury	<lod< th=""><th>0.010</th><th>0.005</th><th>3.0</th><th>Pass</th></lod<>	0.010	0.005	3.0	Pass

### **Microbiological Analysis**

Microbe	Result	<u>Limit</u>	Pass/Fail
Aspergillus Flavus	Negative/1g	Negative/1g	Pass
Aspergillus Fumigatus	Negative/1g	Negative/1g	Pass
Aspergillus Niger	Negative/1g	Negative/1g	Pass
Aspergillus Terreus	Negative/1g	Negative/1g	Pass
Escherichia Coli (E. Coli)	Negative/1g	Negative/1g	Pass
Salmonella	Negative/1g	Negative/1g	Pass
Yeast/Mold	Not Detected	-	Pass
NOTES:			

CFU = Colony Forming Unit NS = Not Specified NT = Not Tested

LOQ = Limit of Quantification LOD = Limit of Detection



Ethos Analytics Laboratory 3020 E Camelback Rd STE 397 Phoenix, AZ 85016 Info@Ethosanalytics.io www.Ethosanalytics.io Lic #: 000026LRCND60176649 ISO/IEC 17025 Acc #: 117798

Noel Samsum Laboratory Director 1-Sep-2023

Date Received: 08/21/2023 Date Completed: 09/01/2023



## **CERTIFICATE OF ANALYSIS**

### **Mycotoxins**

Analyte	<u>Result (ppb)</u>	LOD (ppb)	LOQ (ppb)	<u>Limit (ppb)</u>	Pass/Fail
Aflatoxin B1	<lod< td=""><td>3.0</td><td>9.0</td><td>-</td><td>-</td></lod<>	3.0	9.0	-	-
Aflatoxin B2	<lod< th=""><th>2.0</th><th>9.0</th><th>-</th><th>-</th></lod<>	2.0	9.0	-	-
Aflatoxin G1	<lod< td=""><td>3.0</td><td>9.0</td><td>-</td><td>-</td></lod<>	3.0	9.0	-	-
Aflatoxin G2	<lod< th=""><th>2.0</th><th>6.0</th><th>-</th><th>-</th></lod<>	2.0	6.0	-	-
Ochratoxin A	<lod< td=""><td>4.0</td><td>12.0</td><td>20</td><td>Pass</td></lod<>	4.0	12.0	20	Pass
Total Aflatoxins	<lod< td=""><td></td><td></td><td>20</td><td>Pass</td></lod<>			20	Pass

### **Residual Solvent Analysis**

Analyte	<u>Result (ppm)</u>	LOD (ppm)	LOQ (ppm)	<u>Limit (ppm)</u>	Pass/Fail
L,2-Dichloro-Ethane	<lod< td=""><td>0.10</td><td>0.30</td><td>1</td><td>Pass</td></lod<>	0.10	0.30	1	Pass
3enzene	<lod< td=""><td>0.03</td><td>0.10</td><td>1</td><td>Pass</td></lod<>	0.03	0.10	1	Pass
Chloroform	<lod< td=""><td>0.03</td><td>0.10</td><td>1</td><td>Pass</td></lod<>	0.03	0.10	1	Pass
Ethylene Oxide	<lod< td=""><td>0.20</td><td>0.60</td><td>1</td><td>Pass</td></lod<>	0.20	0.60	1	Pass
Viethylene-Chloride	<lod< td=""><td>0.10</td><td>0.80</td><td>1</td><td>Pass</td></lod<>	0.10	0.80	1	Pass
<b>Frichlor oethene</b>	<lod< td=""><td>0.03</td><td>0.20</td><td>1</td><td>Pass</td></lod<>	0.03	0.20	1	Pass
Acetone	<lod< td=""><td>1</td><td>60</td><td>5000</td><td>Pass</td></lod<>	1	60	5000	Pass
Acetonitrile	<lod< td=""><td>1</td><td>5</td><td>410</td><td>Pass</td></lod<>	1	5	410	Pass
Butane	<lod< td=""><td>1</td><td>5</td><td>5000</td><td>Pass</td></lod<>	1	5	5000	Pass
Ethanol	<lod< td=""><td>3</td><td>10</td><td>5000</td><td>Pass</td></lod<>	3	10	5000	Pass
Ethyl-Acetate	<lod< td=""><td>1</td><td>5</td><td>5000</td><td>Pass</td></lod<>	1	5	5000	Pass
Ethyl-Ether	<lod< td=""><td>1</td><td>5</td><td>5000</td><td>Pass</td></lod<>	1	5	5000	Pass
leptane	<lod< td=""><td>1</td><td>5</td><td>5000</td><td>Pass</td></lod<>	1	5	5000	Pass
n-Hexane	<lod< td=""><td>1</td><td>5</td><td>290</td><td>Pass</td></lod<>	1	5	290	Pass
sopropanol	<lod< td=""><td>1</td><td>5</td><td>5000</td><td>Pass</td></lod<>	1	5	5000	Pass
Viethanol	<lod< td=""><td>1</td><td>5</td><td>3000</td><td>Pass</td></lod<>	1	5	3000	Pass
Pentane	<lod< td=""><td>2</td><td>5</td><td>5000</td><td>Pass</td></lod<>	2	5	5000	Pass
Propane	<lod< td=""><td>5</td><td>10</td><td>5000</td><td>Pass</td></lod<>	5	10	5000	Pass
Toluene	<lod< td=""><td>1</td><td>5</td><td>890</td><td>Pass</td></lod<>	1	5	890	Pass
(ylenes	<lod< td=""><td>1</td><td>5</td><td>2170</td><td>Pass</td></lod<>	1	5	2170	Pass



Noel Samsum Laboratory Director 1-Sep-2023

Date Received: 08/21/2023 Date Completed: 09/01/2023



## **CERTIFICATE OF ANALYSIS**

### **Category 1 Pesticide Analysis**

<u>Analyte</u>	<u>Result (ppm)</u>	LOD (ppm)	LOQ (ppm)	Pass/Fail
Aldicarb	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Carbofuran	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Chlordane	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Chlorfenapyr	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Chlorpyrifos	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Coumaphos	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Daminozide	<lod< td=""><td>0.030</td><td>0.080</td><td>Pass</td></lod<>	0.030	0.080	Pass
Dichlorvos	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Dimethoate	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Ethoprophos	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Etofenprox	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Fenoxycarb	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Fipronil	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Imazalil	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Methiocarb	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Mevinphos	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Paclobutrazol	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Parathion Methyl	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Propoxur	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Spiroxamine	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass
Thiacloprid	<lod< td=""><td>0.025</td><td>0.075</td><td>Pass</td></lod<>	0.025	0.075	Pass



Noel Samsum Laboratory Director 1-Sep-2023

Date Received: 08/21/2023 Date Completed: 09/01/2023



## **CERTIFICATE OF ANALYSIS**

### **Category 2 Pesticide Analysis**

Analyte	<u>Result (ppm)</u>	LOD (ppm)	LOQ (ppm)	<u>Limit (ppm)</u>	Pass/Fail
Abamectin	<lod< td=""><td>0.010</td><td>0.050</td><td>0.3</td><td>Pass</td></lod<>	0.010	0.050	0.3	Pass
Acephate	<lod< td=""><td>0.020</td><td>0.050</td><td>5</td><td>Pass</td></lod<>	0.020	0.050	5	Pass
Acequinocyl	<lod< td=""><td>0.020</td><td>0.075</td><td>4</td><td>Pass</td></lod<>	0.020	0.075	4	Pass
Acetamiprid	<lod< td=""><td>0.020</td><td>0.050</td><td>5</td><td>Pass</td></lod<>	0.020	0.050	5	Pass
Azoxystrobin	<lod< td=""><td>0.010</td><td>0.050</td><td>40</td><td>Pass</td></lod<>	0.010	0.050	40	Pass
Bifenazate	<lod< td=""><td>0.020</td><td>0.050</td><td>5</td><td>Pass</td></lod<>	0.020	0.050	5	Pass
Bifenthrin	<lod< td=""><td>0.020</td><td>0.050</td><td>0.5</td><td>Pass</td></lod<>	0.020	0.050	0.5	Pass
Boscalid	<lod< td=""><td>0.020</td><td>0.075</td><td>10</td><td>Pass</td></lod<>	0.020	0.075	10	Pass
Captan	<lod< td=""><td>0.150</td><td>0.400</td><td>5</td><td>Pass</td></lod<>	0.150	0.400	5	Pass
Carbaryl	<lod< td=""><td>0.020</td><td>0.050</td><td>0.5</td><td>Pass</td></lod<>	0.020	0.050	0.5	Pass
Chlorantraniliprole	<lod< td=""><td>0.025</td><td>0.075</td><td>40</td><td>Pass</td></lod<>	0.025	0.075	40	Pass
Clofentezine	<lod< td=""><td>0.020</td><td>0.050</td><td>0.5</td><td>Pass</td></lod<>	0.020	0.050	0.5	Pass
Cyfluthrin	<lod< td=""><td>0.020</td><td>0.075</td><td>1</td><td>Pass</td></lod<>	0.020	0.075	1	Pass
Cypermethrin	<lod< td=""><td>0.020</td><td>0.050</td><td>1</td><td>Pass</td></lod<>	0.020	0.050	1	Pass
Diazinon	<lod< td=""><td>0.010</td><td>0.050</td><td>0.2</td><td>Pass</td></lod<>	0.010	0.050	0.2	Pass
Dimethomorph	<lod< td=""><td>0.020</td><td>0.050</td><td>20</td><td>Pass</td></lod<>	0.020	0.050	20	Pass
Etoxazole	<lod< td=""><td>0.010</td><td>0.050</td><td>1.5</td><td>Pass</td></lod<>	0.010	0.050	1.5	Pass
Fenhexamid	<lod< td=""><td>0.020</td><td>0.050</td><td>10</td><td>Pass</td></lod<>	0.020	0.050	10	Pass
Fenpyroximate	<lod< td=""><td>0.010</td><td>0.050</td><td>2</td><td>Pass</td></lod<>	0.010	0.050	2	Pass
Flonicamid	<lod< td=""><td>0.030</td><td>0.090</td><td>2</td><td>Pass</td></lod<>	0.030	0.090	2	Pass
Fludioxonil	<lod< td=""><td>0.020</td><td>0.050</td><td>30</td><td>Pass</td></lod<>	0.020	0.050	30	Pass
Hexythiazox	<lod< td=""><td>0.030</td><td>0.090</td><td>2</td><td>Pass</td></lod<>	0.030	0.090	2	Pass
Imidacloprid	<lod< td=""><td>0.030</td><td>0.075</td><td>3</td><td>Pass</td></lod<>	0.030	0.075	3	Pass



Ethos Analytics Laboratory 3020 E Camelback Rd STE 397 Phoenix, AZ 85016 Info@Ethosanalytics.io www.Ethosanalytics.io Lic #: 00026LRCND60176649 ISO/IEC 17025 Acc #: 117798

Noel Samsum Laboratory Director 1-Sep-2023

Date Received: 08/21/2023 Date Completed: 09/01/2023



## **CERTIFICATE OF ANALYSIS**

### **Category 2 Pesticide Analysis Continued**

<u>Analyte</u>	<u>Result (ppm)</u>	LOD (ppm)	LOQ (ppm)	<u>Limit (ppm)</u>	Pass/Fail
Kresoxim Methyl	<lod< td=""><td>0.020</td><td>0.050</td><td>1</td><td>Pass</td></lod<>	0.020	0.050	1	Pass
Malathion	<lod< td=""><td>0.020</td><td>0.050</td><td>5</td><td>Pass</td></lod<>	0.020	0.050	5	Pass
Metalaxyl	<lod< td=""><td>0.010</td><td>0.050</td><td>15</td><td>Pass</td></lod<>	0.010	0.050	15	Pass
Methomyl	<lod< td=""><td>0.020</td><td>0.050</td><td>0.1</td><td>Pass</td></lod<>	0.020	0.050	0.1	Pass
Myclobutanil	<lod< td=""><td>0.020</td><td>0.075</td><td>9</td><td>Pass</td></lod<>	0.020	0.075	9	Pass
Naled	<lod< td=""><td>0.020</td><td>0.075</td><td>0.5</td><td>Pass</td></lod<>	0.020	0.075	0.5	Pass
Oxamyl	<lod< td=""><td>0.020</td><td>0.050</td><td>0.3</td><td>Pass</td></lod<>	0.020	0.050	0.3	Pass
Pentachloronitrobenzene	<lod< td=""><td>0.020</td><td>0.075</td><td>0.2</td><td>Pass</td></lod<>	0.020	0.075	0.2	Pass
Permethrin	<lod< td=""><td>0.010</td><td>0.050</td><td>20</td><td>Pass</td></lod<>	0.010	0.050	20	Pass
Phosmet	<lod< td=""><td>0.020</td><td>0.050</td><td>0.2</td><td>Pass</td></lod<>	0.020	0.050	0.2	Pass
Piperonyl Butoxide	<lod< td=""><td>0.010</td><td>0.050</td><td>8</td><td>Pass</td></lod<>	0.010	0.050	8	Pass
Prallethrin	<lod< td=""><td>0.025</td><td>0.075</td><td>0.4</td><td>Pass</td></lod<>	0.025	0.075	0.4	Pass
Propiconazole	<lod< td=""><td>0.020</td><td>0.075</td><td>20</td><td>Pass</td></lod<>	0.020	0.075	20	Pass
Pyrethrins	<lod< td=""><td>0.010</td><td>0.050</td><td>1</td><td>Pass</td></lod<>	0.010	0.050	1	Pass
Pyridaben	<lod< td=""><td>0.020</td><td>0.050</td><td>3</td><td>Pass</td></lod<>	0.020	0.050	3	Pass
Spinetoram	<lod< td=""><td>0.010</td><td>0.050</td><td>3</td><td>Pass</td></lod<>	0.010	0.050	3	Pass
Spinosad	<lod< td=""><td>0.010</td><td>0.050</td><td>3</td><td>Pass</td></lod<>	0.010	0.050	3	Pass
Spiromesifen	<lod< td=""><td>0.020</td><td>0.050</td><td>12</td><td>Pass</td></lod<>	0.020	0.050	12	Pass
Spirotetramat	<lod< td=""><td>0.020</td><td>0.050</td><td>13</td><td>Pass</td></lod<>	0.020	0.050	13	Pass
Tebuconazole	<lod< td=""><td>0.020</td><td>0.050</td><td>2</td><td>Pass</td></lod<>	0.020	0.050	2	Pass
Thiamethoxam	<lod< td=""><td>0.020</td><td>0.075</td><td>4.5</td><td>Pass</td></lod<>	0.020	0.075	4.5	Pass
Trifloxystrobin	<lod< td=""><td>0.010</td><td>0.050</td><td>30</td><td>Pass</td></lod<>	0.010	0.050	30	Pass



Noel Samsum Laboratory Director 1-Sep-2023